Friday, 12 August, 2016 12:16:36 PM Clerk, U.S. District Court, ILCD

UNITED STATES DISTRICT COUR	T
for the Central District of Illinois	AUG 1 1 2016
Shelley Goodall) Plaintiff,)	CLERK OF THE COURT U.S. DISTRICT COURT CENTRAL DISTRICT OF ILLINOIS
Case No. 16-3228	
Defendant(s).	

PRO SE CIVIL RIGHTS COMPLAINT (Non-Prisoner)

I. **JURISDICTION**

PARTIES

Defendant #1:

II.

Subject matter jurisdiction is invoked under 28 U.S.C. § 1331, 28 U.S.C. § 1343(a)(3), and/or 42 U.S.C. § 1983. List any additional bases for federal subject matter jurisdiction here:

Plaintiff: a citizen of Illinois (state), incoln St. Edinburg his/her civil rights were violated by the individual(s) named below.

B. _is employed as a (c) (Employer's Name and Address) 1000 Chrysler Drive Auburn+ills, Michigan 48326

	Check one of the following:	
	This defendant personally participated in causing my injury, and I want money damages. Briefly describe how this defendant participated: I had a win	-bag took
	a halfdellar giece spraying me with the ut	iemicals
	inside which has caused me permanent in	juries
	a halfdellar piece spraying me with the utinside which has chased me permanent in to my body. I have a copy of a letter show to the chemicals of new Chrysler lied to me dan ser's interest their air agency violates my rights, and I seek injunctive relief (to stop or require someone to something). Briefly describe this policy or custom:	ns those about the
Defen	dant #2:	
C.	Defendantis employed as a (a) (Name of Second Defendant)	
	(a) (Name of Second Defendant)	
with	(b) (Position/Title)	
W ILII	(c) (Employer's Name and Address)	_•
	Check one of the following:	
	☐ This defendant personally participated in causing my injury, and I want money damages . Briefly describe how this defendant participated:	
10		
	The policy or custom of this official's government agency violates my rights, and I seek injunctive relief (to stop or require someone to something). Briefly describe this policy or custom:	

Defe	endant #3:
D.	Defendantis employed as a
	(a) (Name of Third Defendant)
	(b) (Position/Title)
with	
	(c)) (Employer's Name and Address)
	Check one of the following:
	This defendant personally participated in causing my injury, and I want money damages . Briefly describe how this defendant participated:
	The policy or custom of this official's government agency violates my rights, and I seek injunctive relief (to stop or require someone to something). Briefly describe this policy or custom:

Additional Defendant(s) (if any):

E. Using the outline set forth above, identify any additional Defendant(s), using additional pages, if necessary.

III. PREVIOUS LAWSUITS

A.	Have :	you begun any other lawsuits in federal court? Yes
	If your answer to "A" is YES, describe the lawsuit in the space below. If there is than one lawsuit, you must describe the additional lawsuits on another sheet of paper of the same outline.	
	1.	Parties to previous lawsuits:
		Plaintiff(s):
		Defendant/s)
		Defendant(s):
	2.	Date of Filing:
	3.	Case Number:
	4.	Jurisdiction/Court:
	5.	Name of Judge:
	6.	Issues Raised:
	7.	Disposition of Case (for example: Was the case dismissed? Was it appealed? Is it still pending?):
	8.	Date of Final Disposition:

IV. STATEMENT OF CLAIM

State here, as briefly as possible, when, where, how, and by whom you feel your constitutional rights were violated. Do not include legal arguments or citations. If you intend to allege several related claims, you must number and set forth <u>each</u> claim in a <u>separate</u> paragraph.

1. On or about 1/1/2009 (month,day,year), at approximately 10:30 A.m.
a.m. □ p.m., plaintiff was present in the municipality (or unincorporated area of)
a intersection So Grand Ave 15th st., in the County of
Sanganos, in the State of Illinois, at
Sotid. II.
where defendant(s) violated plaintiff's civil rights as follows (check each box that applies):
arrested or seized plaintiff without probable cause to believe that plaintiff had committed, was committing or was about to commit a crime;
searched plaintiff or his property without a warrant and without reasonable cause;
used excessive force upon plaintiff;
failed to intervene to protect plaintiff from violation of his/her civil rights by one or more other defendants;
failed to provide plaintiff with necessary medical care;
conspired together to violate one or more of plaintiff's civil rights;
other (please explain): Never would give me the MSDS
Sheet I asked for at the time of the
wreck. Didn't receive the MSDs sheet until this year.
2. Plaintiff was charged with one or more crimes, specifically: No warbes - I was T-Boned in a antowreck.
3. The criminal proceedings (check the box that applies):
are still pending. were terminated in favor of plaintiff in a manner indicating plaintiff was innocent. resulted in a finding of guilty on one or more of the charges. other:

4. Plaintiff further alleges as follows: Describe what happened that you believe supports your claims. To the extent possible, be specific as to your own actions and the actions of each defendant.

Myairbag tore a half dellar piece in the
middle spraying me with deadly chemicals
inside. The chemicals damaged my airways
and I have traumatic glucoma in both eyes
with some vision loss, as well as having
2nd degree burns to my face, chest, Neck,
scalp + it left scars. I was also diagnosed
with white spots on the left side of my
Brain, which cansed me to have a mini
Stroke this year. I have been ill since
being exposed and it seems to be
getting worse In under the care of many
Specialist because of this Had they given
me the MSDS Sheet at the time of this
wreck maybe my doctors could've treated
better, by the time I got this MSDS sheet
The damage was already done. There is no
cure or antidote for these chemicals either

5. Defendant(s) acted knowingly, intentionally, willfully, and maliciously.

6. As a result of Defendant's conduct, plaintiff was injured as follows:

Darnaged airways, Slucoma to botheyes,

Scars on face, Redrash that comes & goes

Lo the areas exposed, spots on my left side of brain as well as having had a ministroke, Blood pressure issues

7. Plaintiff asks that this case be tried by a jury. XYes

No From my lungs.

V. PRAYER FOR RELIEF

Plaintiff requests that the Court grant the following relief:

- 2. Punitive Damages:

 ✓ Yes □ No

property damage

3. Such injunctive, declaratory, or other relief as may be appropriate, including attorney's fees and reasonable expenses as authorized by 42 U.S.C. § 1988.

DECLARATION UNDER FEDERAL RULE OF CIVIL PROCEDURE 11

I certify to the best of my knowledge, information, and belief, that this complaint is in full compliance with Rule 11(a) and 11(b) of the Federal Rules of Civil Procedure. The undersigned also recognizes that failure to comply with Rule 11 may result in sanctions.

Date: 0/11/2016
Signature of Plaintiff: Sheller Do al Dreadall
Plaintiff's Name (print clearly or type): Shelley Mae Goodall
Mailing Address: 317 East Biocoln St.
City: Edinburg State: I/. Zip: 6253/
Plaintiff's Telephone Number: (317) 691-0337



Customer Claims Resolution Group

January 07, 2009

MS SHELLY M BURG 3014 S 12TH ST SPRINGFIELD, IL 62703-4110

Dear MS BURG;

Thank you for contacting Chrysler LLC regarding your 1996 CHRYSLER SEBRING JXI 2-DOOR CONVERTIBLE, VIN: 3C3EL55HXTT269546. We are currently in the process of reviewing your file. Our records, at this time, indicate the following information regarding your vehicle:

CAIR Number:

18216088

Current Owner:

MS SHELLY M BURG

Purchased Used:

YES

Date of Purchase:

01/28/2008

Incomplete Recalls:

NONE

If any of this information requires updating, please notify us at the following (toll free) number: 1-888-922-7329.

As we proceed with our review, one of our representatives may need to contact you for additional information about your vehicle.

For information, we expect to inform you of our decision within the next 12 business days. If you do not hear from us by then, please contact us (toll free) at: 1-888-922-7329.

Note: If you have already settled with your insurance company, please notify us immediately at our 1-888-922-7329 (toll free) number.

Thank you for your cooperation.

Customer Claims Resolution Group



Customer Claims Resolution Group

January 12, 2009

Via U.S. Mail

Shelly M Burg 3014 S. 12th Street Springfield, IL 62703

Re: 1996 Chrysler Sebring Jxi VIN: 3C3EL55HXTT269546

Dear Shelly M Burg:

Thank you for contacting Chrysler LLC and raising concerns that you have with the above referenced vehicle. We are always concerned to hear of injuries and accidents involving our customers and their vehicles.

Chrysler LLC conducted an investigation into the incident and inspected the vehicle. Specifically, the inspector found no problems with the subject's air bag system. Air bags do not contain any chemicals. The burns you sustained were caused by the the 200 mph force of the deploying air bag. This is the amount of force madadted by Federal law. The powder you noticed was a talc powder that is used so that the folds of the air bag do not stick together. This talc is neccessary so that when needed, the air bags will deploy correctly, as they did in your accident.

I have enclosed an informational brochure pertaining to air bag systems should you have any further questions. In addition, Chrysler LLC notes the following website that contains uselful consumer information on air bag safety and includes animations on how they function during an accident: http://www.safercar.gov/air.htm

Again, we are sorry to hear of your injuries and sincerely hope that you are well on the road to recovery.

appears of the Application of the Committee Application of the Application

Thank you again for raising your concerns with Chrysler LLC.

Very truly yours,

Customer Claims Resolution Group Office of the General Counsel

Enclosure

Global Parts Order Processing Material Safety Data Sheet LANDMARK CHRÝSLER JEEP INC

May 24, 2016 16:49

CHRYSLER

HAZARD COMMUNICATION SHEET 2001745 PART/COMMTY CD: 0PH48SKB PREPARATION DATE: 03-29-05 STNDRD: N/AV SUPPLIER: 12288 MFGR: 03500 OSHA HAZ: NO HAZWOPER HAZ: YES CONS PROD/HAZ SUB: NO *** SECTION 01 - PRODUCT INFORMATION *** MFG BY: PART SALES & SERVICE FCA US LLC 26311 LAWRENCE AVE CENTERLINE MI 48015 EMERGENCY PHONE: 248-512-8002 AFTER HOURS: 248-576-8888 DIST BY: PART SALES & SERVICE FCA US LLC 26311 LAWRENCE AVE CENTERLINE MI 48015 EMERGENCY PHONE: 248-512-8002 AFTER HOURS: 248-576-8888 FCA US LLC INDUSTRIAL HYGIENE: 248-512-8260 AFTER HOURS: 248-576-8888 BRAND NAME: MOPAR AIRBAG INFLATOR MFG ID : N/AV DESCRIPTION: MODULE ASSY-DRIVER AIR BAG *** SECTION 02 - INGREDIENTS *** HAZARDOUS INGREDIENTS: PERCENT COMM NAME / CAS NO & CHEM NAME: BY WGT OSHA ACGIH CHRYS UNITS NOTATIONS ***EXISTING INGREDIENTS*** COPPER MONOXIDE 30-60 W 1 1 1 MG/M3 001317-38-0 COPPER OXIDE (CUO) (SODIUM AZIDE 60-100 W N/AP N/AP N/AP S 026628-22-8 SODIUM AZIDE (NA(N3) C 0.300 0.290 0.290 POTASSIUM NITRATE 1-5 W N/AP N/AP N/AP 007757-79-1 NITRIC ACID POTASSIU BORON (8CI9CI) 0.1-1.0 W N/AP N/AP N/AP N/AP 007440-42-8 BORON (8CT9CT) GENERIC DESC: A POWDERED MIXTURE OF SODIUM AZIDE AND ADDITIVES IN A SEALED METAL CONTAINER. *** SECTION 03 - PHYSICAL DATA *** BOILING POINT : N/AP SOLUB IN WATER: APPRECIABLE (> 10%) VAPOR PRESSURE: N/AP EVAP. RATE: N/AP REF: N/AP VAPOR DENSITY : N/AP SPECIFIC GRAVITY: 2.500 AT N/AV PH AT FULL STRENGTH: N/AP PH AT REC. DILUT: N/AP VOLATILE ORGANIC COMP: N/AP N/AP %VOLATILE BY VOL : N/AP N/AP ODOR THRESHOLD: PPM FOR % POPULATION FREEZING POINT: N/AP COEFF. OF WATER/OIL DIST: N/AV APPEARANCE & ODOR: COLOR: GREY..... STATE: POWDER..../FORM: PELLETS...., FORM: SEALED METALLIC CANISTER....-ODOR: ODORLESS.....

Page 1 of 5

Global Parts Order Processing Material Safety Data Sheet LANDMARK CHRYSLER JEEP INC

May 24, 2016 16:49

*** SECTION 04 - FIRE AND EXPLOSION DATA ***

FLASH POINT: N/AP N/AP IGN TEMP: 350 F LEL: N/AP UEL: N/AP SPECIAL FIRE & EXPLOSION HAZARDS:

KEEP CONTAINERS TIGHTLY CLOSED. SEALED CONTAINERS WILL NOT FIRE UNLESS HEATED TO A HIGH TEMPERATURE OR CONFIGURED FOR ELECTRICAL IGNITION. STATIC DISCHARGE, IMPACT, FRICTION AND HEAT MAY IGNITE EXPOSED GENERANT PELLETS. EXTINGUISHING MEDIA:

FIRES INVOLVING SEALED UNITS MAY BE FOUGHT WITH CARBON DIOXIDE, DRY CHEMICAL, HALON OR OTHER STANDARD EXTINGUISHING MEDIA, INCLUDING WATER. SPECIAL FIREFIGHTING PROCEDURES:

IF NOT THREATENING TO LIFE OR PROPERTY, FIRES SHOULD BE ALLOWED TO BURN THEMSELVES OUT. IF FIRE IS THREATENING TO LIFE OR PROPERTY, USE LARGE AMOUNTS OF WATER. EVACUATE ALL PERSONNEL AND STAY UPWIND. USE PROTECTIVE CLOTHING. USE SELF-CONTAINED BREATHING APPARATUS WITH A FULL FACEPIECE OPERATED IN PRESSURE DEMAND OR OTHER POSITIVE PRESSURE MODE. USE WATER TO COOL FIRE EXPOSED CONTAINERS. REMOVE CONTAINERS FROM FIRE AREA IF POSSIBLE. SENSITIVE TO MECHANICAL IMPACT?: YES SENSITIVE TO STATIC DISCHARGE?: N/AV HAZARDOUS COMBUSTION PRODUCTS:

DENSE SMOKE, OXIDES OF SODIUM, COPPER AND NITROGEN, AND SODIUM HYDROXIDE.

MAY YIELD SMALL AMOUNTS OF HYDRAZOIC ACID UNDER ACIDIC CONDITIONS.

FLAME PROJECTION: N/AP

*** SECTION 05 - HEALTH HAZARD DATA ***

EFFECTS OF OVEREXPOSURE - ACUTE & CHRONIC:

THE TAMPER RESISTANT SEALED METAL CONTAINER POSES NO HEALTH HAZARD. HOWEVER IF THE CONTAINER IS RUPTURED PRIOR TO FIRING, A POTENTIAL EXPOSURE EXISTS. <---INHALATION--->> DUST-ACUTE EXPOSURE MAY PRODUCE THE FOLLOWING: MUCOUS MEMBRANE IRRITATION, LOW BLOOD PRESSURE, HEADACHE, BRONCHIAL IRRITATION, NAUSEA, BREATHING DIFFICULTIES, FAINTING AND VISUAL DISTURBANCES. HIGH CONCENTRATION MAY PRODUCE THE FOLLOWING: DEATH. CHRONIC EXPOSURE MAY PRODUCE THE FOLLOWING: ULCERATED NASAL SEPTUM AND CYANOSIS (A BLUE APPEARANCE OF THE SKIN, ESPECIALLY ON THE FACE, HANDS AND FEET, FROM TOO LITTLE OXYGEN TO THESE PARTS OF THE BODY) <<---SKIN CONTACT--->> MAY BE ABSORBED THROUGH SKIN. SEE SYMPTOMS OF OVEREXPOSURE FOR THE FOLLOWING: INHALATION. CHRONIC EXPOSURE MAY PRODUCE THE FOLLOWING: DERMATITIS. MAY CAUSE SENSITIZATION. <---EYE CONTACT--->> DIRECT CONTACT MAY PRODUCE THE FOLLOWING: DAMAGE TO EYE TISSUE <<---INGESTION--->> MAY BE HARMFUL OR FATAL IF SWALLOWED. INGESTION, INHALATION, OR SKIN ABSORPTION-MAY PRODUCE THE FOLLOWING: LOW BLOOD PRESSURE AND/OR RAPID PULSE OR HEART BEAT. <<---SPECIAL TOXICITY--->> BIOASSAYS (TESTS ON BACTERIA) HAVE SHOWN THAT A COMPONENT OR COMPONENTS OF THIS PRODUCT MAY CAUSE MUTATIONS. STUDIES OF LABORATORY ANIMALS HAVE SHOWN THAT COMPONENTS OF THIS PRODUCT MAY CAUSE THE FOLLOWING: DAMAGE TO THE NERVOUS SYSTEM AND/OR BRAIN DAMAGE. <<---MEDICAL CONDITIONS WHICH MAY BE AGGRAVATED BY THIS PRODUCT--->> LUNG OR RESPIRATORY TRACT DISORDERS., SKIN

Page 2 of 5

66583000 s99636i

Global Parts Order Processing **Material Safety Data Sheet** LANDMARK CHRÝSLER JEEP INC

May 24, 2016 16:49

DISORDERS AND HEART PROBLEMS.

EMERGENCY FIRST AID PROCEDURES:

<----INHALATION--->> REMOVE TO FRESH AIR AT ONCE. ARTIFICIAL RESPIRATION IF BREATHING HAS STOPPED. CARDIAC RESUSCITATION IF INDICATED. CONTACT A PHYSICIAN. <<---SKIN CONTACT--->> REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP AND WATER. CONTACT A PHYSICIAN. <<---EYE CONTACT--->> RINSE EYES IMMEDIATELY WITH LARGE AMOUNTS OF WATER, OCCASIONALLY LIFTING BOTH UPPER AND LOWER LIDS. CONTINUE FOR 15 MINUTES. CONTACT A PHYSICIAN. <---INGESTION--->> GIVE LARGE QUANTITIES OF WATER OR MILK. INDUCE VOMITING BY HAVING PERSON TOUCH BACK OF THROAT WITH FINGER. CONTACT A PHYSICIAN. DO NOT MAKE UNCONSCIOUS PATIENT VOMIT. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

*** SECTION 06 - REACTIVITY DATA ***

STABILITY: STABLE

CONDITIONS TO AVOID:

IF PELLETS ARE EXPOSED, AVOID SHOCK, IMPACT, FRICTION AND SOURCES OF IGNITION. DO NOT IMMERSE EXPOSED PELLETS IN WATER. THE SEALED CONTAINER WILL NOT FIRE UNLESS HEATED TO TEMPERATURES ABOVE 300 F (149 C) OR CONFIGURED FOR ELECTRICAL IGNITION.

MATERIALS TO AVOID:

STRONG OXIDIZING AGENTS. A RUPTURED UNIT CONTAINS CHEMICALS INCOMPATIBLE WITH ORGANIC AND INORGANIC ACIDS, HEAVY METALS, METAL SALTS AND HALOGENS. UNDER NORMAL FIRING CONDITIONS, THE ENVIRONMENT WILL BE ALKALINE. HOWEVER, RUPTURED UNITS MUST NOT BE IMMERSED IN WATER OR EXPOSED TO ACIDIC CONDITIONS, AS HYDRAZOIC ACID & OTHER GASES MAY BE EVOLVED. LIQUID SOLUTIONS OF THESE CHEMICALS MUST NOT BE ALLOWED TO CONTACT METALS OR METAL PLUMBING AS THEY WILL REACT TO FORM SENSITIVE PRIMARY EXPLOSIVES.

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

POLYMERIZATION CONDITIONS TO AVOID:

POLYMERIZATION WILL NOT OCCUR.

HAZARDOUS DECOMPOSITION PRODUCTS:

PELLETS DECOMPOSE TO OXIDES OF SODIUM AND NITROGEN ON HEATING TO DECOMPOSITION. DEPLOYMENT MAY RELEASE SODIUM HYDROXIDE AND BAKING SODA.

*** SECTION 07 - SPILL OR LEAK PROCEDURES ***

STEPS TO BE TAKEN IF MATERIAL IS RELEASED OR SPILLED:

NO SPECIAL PRECAUTIONS ARE NECESSARY FOR HANDLING A SEALED (I.E. UNDEPLOYED) INFLATOR, ALTHOUGH IT SHOULD BE INSPECTED CAUTIOUSLY TO ENSURE THAT IT HAS NOT RUPTURED. IF INFLATOR IS RUPTURED PRIOR TO FIRING AND A POTENTIAL EXISTS FOR EXPOSURE TO THE PELLETS, EVACUATE NON-ESSENTIAL PERSONNEL FROM THE IMMEDIATE SPILL AREA AND ELIMINATE ALL SOURCES OF IGNITION. USE NON-SPARKING TOOLS TO REMOVE PELLETS. IF THE PELLETS BECOME MIXED WITH WATER, KEEP THE WATER MIXTURE ALKALINE TO PREVENT THE RELEASE OF HYDRAZOIC ACID. DO NOT FLUSH INTO SEWER SYSTEM.

Page 3 of 5

Global Parts Order Processing Material Safety Data Sheet LANDMARK CHRYSLER JEEP INC

May 24, 2016 16:49

WASTE DISPOSAL METHODS:

IF INFLATOR IS NOT DEFECTIVE, REMOTE FIRING MAY BE RECOMMENDED PRIOR TO DISPOSAL PROCEDURES. FIRED INFLATOR CANISTERS CONTAIN SMALL AMOUNTS OF METALLIC SODIUM AND SHOULD BE ISOLATED FROM COMBUSTIBLE AND FLAMMABLE MATERIALS. A FIRED UNIT IS NOT REGULATED BY DOT OR RCRA. UNITS WHICH HAVE NOT BEEN FIRED CONTAIN SODIUM AZIDE, WHICH IS WATER SOLUBLE AND IS HIGHLY TOXIC TO FISH. PROPELLANT, AND WATER CONTAMINATED WITH PROPELLANT, MUST NOT BE RELEASED TO SEWERS, GROUND WATER, OR SOIL. DISPOSE OF IN A MANNER CONSISTENT WITH STATE, PROVINCIAL, LOCAL, AND FEDERAL REGULATIONS.

*** SECTION 08 - SPECIAL PROTECTION ***

RESPIRATORY PROTECTION:

NO SPECIAL PROTECTION NEEDED UNDER NORMAL CONDITIONS.. THIS EQUIPMENT MAY BE NEEDED IF DUST IS GENERATED WHILE HANDLING. AND. THIS EQUIPMENT MAY BE NEEDED FOR REACTION AND/OR DECOMPOSITION PRODUCTS. MAY REQUIRE THE FOLLOWING: RESPIRATOR-TOXIC DUST AND MIST OR AIRLINE RESPIRATOR.

VENTILATION TYPE:

NO SPECIAL PROTECTION NEEDED UNDER NORMAL CONDITIONS.. THIS EQUIPMENT MAY BE NEEDED IF DUST IS GENERATED WHILE HANDLING. AND. THIS EQUIPMENT MAY BE NEEDED FOR REACTION AND/OR DECOMPOSITION PRODUCTS. MAY REQUIRE THE FOLLOWING: LOCAL EXHAUST VENTILATION. EXPLOSION-PROOF VENTILATION EQUIPMENT. PROTECTIVE GLOVES:

NO SPECIAL PROTECTION NEEDED UNDER NORMAL CONDITIONS.. THIS EQUIPMENT MAY BE NEEDED IF DUST IS GENERATED WHILE HANDLING. AND. THIS EQUIPMENT MAY BE NEEDED FOR REACTION AND/OR DECOMPOSITION PRODUCTS. MAY REQUIRE THE FOLLOWING: NEOPRENE GLOVES, NITRILE RUBBER GLOVES, NATURAL RUBBER GLOVES OR POLYVINYLCHLORIDE (PVC) GLOVES.

EYE PROTECTION:

RECOMMENDED. SAFETY GLASSES WITH SIDE SHIELDS OR CHEMICAL GOGGLES. OTHER PROTECTIVE EQUIPMENT:

. THIS EQUIPMENT MAY BE NEEDED IF DUST IS GENERATED WHILE HANDLING. OR. THIS EQUIPMENT MAY BE NEEDED FOR POSSIBLE EXPOSURE TO COMBUSTION PRODUCTS. ALL SKIN CONTACT MUST BE AVOIDED. PROTECTIVE EQUIPMENT MUST BE WORN AT ALL TIMES DURING PRODUCT USE IF SKIN CONTACT IS POSSIBLE.

*** SECTION 09 - SPECIAL PRECAUTIONS ***

PRECAUTIONS TO BE TAKEN IN HANDLING & STORAGE:

STORE IN A COOL, DRY PLACE. USE WITH ADEQUATE VENTILATION. KEEP FROM HEAT, SPARK OR OPEN FLAMES. AVOID MECHANICAL SHOCK. REACTS WITH METALS. INFLATOR/PRETENSIONER CHEMICALS SHOULD BE HANDLED AND CONTROLLED ONLY BY PERSONNELL PROPERLY TRAINED AND AUTHORIZED TO HANDLE THESE ITEMS. DO NOT IMMERSE DAMAGED INFLATOR IN WATER. NEVER WRAP ARMS AROUND AN AIRBAG MODULE WHEN CARRYING. ALWAYS ENSURE THE DEPLOYMENT DOORS ARE FACING AWAY FROM THE BODY TO AVOID POTENTIAL SERIOUS BODILY INJURY IN THE EVENT OF A DEPLOYMENT. ALWAYS PLACE MODULE WITH DEPLOYMENT DOORS FACING UP. IF THE DOORS ARE FACING

Page 4 of 5

Global Parts Order Processing Material Safety Data Sheet LANDMARK CHRYSLER JEEP INC

May 24, 2016 16:49

DOWN, THE MODULE CAN BECOME A DANGEROUS PROJECTILE. ALWAYS MAINTAIN THE SQUIB SHUNT (ELECTRICAL GROUND). KEEP INFLATORS/PRETENSIONERS AWAY FROM ELECTRICAL EQUIPMENT. ELECTRICAL CONTACT CAUSES IGNITION. DO NOT CUT, DRILL, WELD OR MODIFY THE ASSEMBLY. NEVER TRY TO DISASSEMBLE. DO NOT CONNECT TO AN INAPPROPRIATE ELECTRICAL POWER SOURCE. ONLY CONNECT TO ONBOARD ELECTRONICS OR APPROVED TEST DEVICE.

OTHER PRECAUTIONARY MEASURES:

AVOID BREATHING DUST. AVOID PROLONGED OR REPEATED SKIN CONTACT. AVOID EYE CONTACT. AVOID INGESTION. DO NOT SMOKE OR EAT WHEN HANDLING THIS SUBSTANCE; WASH THOROUGHLY AFTER USING. MAINTAIN GOOD HOUSEKEEPING AND HYGIENIC PRACTICES. IF INFLATORS ARE MANUALLY DEPLOYED, HEARING PROTECTION WITH A NOISE REDUCTION RATING GREATER THAN 30 DECIBELS SHOULD BE EMPLOYED.

*** SECTION 10 - WASTE LABELING INFORMATION ***

DOT LABELING INFORMATION (49 CFR 100-199)

ID#: UN3268 ERG#: 171 HAZARD CLASS - PRMY: 9 PACKING GROUP: N/AP PROPER SHIPPING NAME: WASTE SAFETY DEVICES

RQ - NAME/SPILL LIMIT (LBS): SODIUM AZIDE\ 1,562|

<*> REFER TO EXPLANATIONS PAGE - ITEM R.Q. SPILL LIMITS.

LABEL(S) REQUIRED: CLASS 9

RCRA INFORMATION (40 CFR 122-124, 260-265)

WASTE CODE(S)/HZD: P105/H | MICH: 001D

THE ABOVE INFORMATION IS BASED ON DATA PROVIDED BY SUPPLIERS AND IS NOT BASE ON LABORATORY ANALYSIS. TESTING IS RECOMMENDED.